

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2004-113416
 (43)Date of publication of application : 15.04.2004

(31)Int.Cl.

A63 33/18
 B63 51/24


(21)Application number : 2002-280340 (71)Applicant : YOSHIDA INDUSTRY CO LTD
 (22)Date of filing : 28.09.2002 (72)Inventor : YUJIHARA YUKITOMO

(54) COSMETICS CONTAINER

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a cosmetics container which allows purchasers to choose the appearance of the container according to their preferences and enjoy decorated parts in the lid does not peel off or fall off.

SOLUTION: The lid is equipped with a replacement cover 7 which is provided detachably to cover the lid 6, a through-hole 21 formed in the direction of the replacement cover, a second engaging piece 18a formed in the through-hole, an operation piece 25 formed on the replacement cover and exposed from the lid through the through-hole, and a second engaging body 18b formed on the operation piece and detachably engaged with the second engaging body. The replacement cover is arranged to cover up its surface 8a. The lid is equipped with a hinge block 13 which is connected turnably on the container to open and close the container. The through-hole is formed on the hinge block, and the operation piece is exposed from a rear surface 8b of the lid.



LEGAL STATUS

[Date of request for examination] 20.07.2005

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]
 [Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

* NOTICES *

JP0 and JP1T are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2**** shows the word which can not be translated.

3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1]

In the cosmetics container which has a body of a container, and the lid which open and close this,

Covering for exchange which covers this to the above-mentioned lid and is prepared in it exchangeable, and the through tube formed in the above-mentioned lid toward the above-mentioned covering for exchange, The cosmetics container carried out [having had the engagement object formed in this through tube, the piece of actuation which is formed in the above-mentioned covering for exchange, penetrates the above-mentioned through tube, and is exposed from the above-mentioned lid, and the engaged body which is formed in this piece of actuation and engages with the above-mentioned engagement object free / engaging and releasing / and] as the description.

[Claim 2]

The cosmetics container according to claim 1 characterized by exposing said piece of actuation from the rear face of the opposite side with the front face of the above-mentioned lid while the hinge region connected with this body of a container free [rotation] is prepared and said through tube is formed in the above-mentioned hinge region, in order for said covering for exchange to cover the front face to said lid, to prepare it in it and to open and close said body of a container to the above-mentioned lid.

[Translation done.]

* NOTICES *

JPO and INPI are not responsible for any damages caused by the use of this translation.

This document has been translated by computer. So the translation may not reflect the original precisely.

2**** shows the word which can not be translated.
3In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001] [Field of the Invention]

This invention relates to the cosmetics container which can raise the degree of freedom in which it can respond to the request that it is also partial separates and a decoration part does not fall out from a lid, and a purchaser can choose an appearance again according to liking. [0002]

[Description of the Prior Art]

Generally, a cosmetics container is equipped with the body of a container which contains cosmetics, and the lid which opens this body of a container or is closed, and is constituted. And in order to raise the design nature to the body of these containers and lid which make the appearance of a cosmetics container, decoration is given by various approaches from the former. For example, and the pattern etc. was attached upwards using the imprint sheet, transparency and translucent layer are piled [an alphabetic character a pattern, etc. are imprinted, or] up, and it is made to ornament at the body of a container, or a lid, [that sputtering etc. performs surface treatment.]

[0003]

[Problems] to be Solved by the Invention]

By the way, it is the purpose of offering the cosmetics container as a product in the high quality which is full of a high-class feeling if it is in the conventional cosmetics container, that it is also partial separates and a decoration part falls out neither from the body of a container, nor a lid — as the above — even if it was in which decoration approach, separation impossible mutually the request that, it had to form in one so that a decoration part might become really indivisible to the body of a container, or a lid. Such a request meant that the appearance of a cosmetics container was limited to the design which the producer selected on the other hand, and the purchaser had to have ending it. To this reason, a purchaser cannot find the cosmetics container freely according to liking. For this reason, a purchaser cannot find the cosmetics container of the design included in mind, but is considered that this had become the cause of retirement from buying.

[0004]

It aims at offering the cosmetics container which can raise the degree of freedom as which this container can be originated in view of the above-mentioned conventional technical problem, and it can respond to the request that, that it is also partial separates and a decoration part does not fall out, especially to a lid, and a purchaser can choose an appearance again according to liking. [0005]

[Means for Solving the Problem]

In the cosmetics container with which the cosmetics container concerning this invention has a body of a container, and the lid which opens and closes this covering for exchange which covers this to the above-mentioned lid and is prepared in it, exchangeable, and the through tube formed in the above-mentioned lid toward the above-mentioned covering for exchange, it carries out having that the engagement object formed in this through tube, the piece of acquisition which

formed in the above-mentioned covering for exchange, penetrates the above-mentioned through tube, and is exposed from the above-mentioned lid, and the engaged body which is formed in this piece of acquisition and engages with the above-mentioned engagement object free [engaging and releasing] as the description. It becomes possible to raise the degree of freedom as which it can respond to the request that, that it is also partial separates and a decoration part does not fall out from a lid by this, and a purchaser can choose an appearance again according to liking. [0006]

Moreover, in order for said covering for exchange to cover the front face to said lid, to prepare it in it, and to open and close said body of a container to the above-mentioned lid, while the hinge region connected with this body of a container free [rotation] is prepared and said through tube is formed in the above-mentioned hinge region, said piece of acquisition is characterized by being exposed from the rear face of the opposite side with the front face of the above-mentioned lid. Since the piece of acquisition is exposed to the rear face of a lid in a hinge region while a tooth space to equip this with the through tube and engagement object for attaching covering for exchange in a lid using a hinge region is secured and enlargement of a cosmetics container is prevented, it also becomes possible to maintain the appearance of a cosmetics container good. [0007]

[Embodiment of the Invention]

Below, 1 suitable operation method of the cosmetics container concerning this invention is explained with reference to an accompanying drawing at a detail. As the cosmetics container 1 concerning this operation method is shown in drawing 1, a graving 4, while connecting with the end of the distal body 3 of the container made of synthetic resin with which the receipt groove 2 was formed, and this body 3 of a container free [the rotation to the vertical direction] through a hinge 4 and opening and closing the body 3 of a container. It is prepared in the lid 6 made of the synthetic resin of the shape of a board which engages with the other end of the body 3 of a container free [engaging and releasing], through hook 5, and maintains the closedown condition of the body 3 of a container, and a lid 6 free [detachment and detachment], and surface of a lid 6 mainly consists of coverings 7 for exchange made of wrap board-like [0008]

[0009]

If it is in the example of illustration although, as for the covering 7 for exchange, a flat-surface appearance profile is formed in the body 3 of these containers, a lid 6, and a list in the shape of a rectangle, you may be the shape of a polygon, and a circle configuration. The mirror 8 is attached in rear-face 8b of a lid 6.

[0010]

Hook 8 consists of projection 10 for a hook which protruded in the below 9 formed in the end of the body 3 of a container and a piece 11 of a hook which hangs from the end of a lid 6 and engages with the projection 10 for hook free [engaging and releasing]. A hinge 4 moreover, between the pieces 12 of a hinge by the body 3 of a container and the lid 6, and the other end of the body 3 of a container in the opposite side in the hook 5. The hinge block 13, as a hinge region made to hang from the other end of a lid 6 is out. It consists of the hinge block 13, and a piece 12 of a hinge, and a hinge block 13 is connected with the body 3 of a container free [rotation] through the piece 12 of a hinge with a hinge pin. [0011]

If the cosmetics container 1 and this operation method have the covering 7 for exchange, what various kinds of various decoration was given is prepared so that a purchaser can choose the design-appearance of a lid 6 freely according to liking. The decoration part given to the covering 7 for exchange is really formed in separation impossible in one indivisible by the approach of general common knowledge to the covering 7 for exchange so that that it is also partial may separate and it may not drop out. [0012]

While the covering 7 for these exchange is formed with the almost same dimension so that that appearance profile may be in agreement with the appearance profile of the body 3 of a container,

the lid 6 with which this covering 7 for exchange is formed with a dimension [a little] smaller than these, in order to secure installation cost, and on this lid 6, the covering 7 for exchange covers this and it is spaced. The quality of the material of the covering 7 for exchange may be not only the product made of synthetic resin but metal.

[0012] Between the covering 7 for exchange and a lid 6, the 1st engagement section 15 and the 2nd engagement section 16 are formed by making these into an engagement means by which it is engaged free [engaging and releasing]. These engagement sections 15 and 16 are located in a

lid 6, which are the both ends of lid 6 [2], and hinge 4 sides, respectively. Extended formation of the hook 5 circumference of lid 6 and the hinge 4 circumference is carried out to the body 3 side of a container, and a notch shape larger than the general part of a lid 6 is obtained, the 1st engagement section 15 by the side of hook 5 — the [by the side of 1st engagement object 15a by the side of a lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b.

[0013] On the cradle 17 which hollowed the whole 1 side edge of the lid 6 with which the piece 11 of a hook is located in a completely different class toward the hinge 4 side, 1st engagement object 13a is made to project so that this cradle 17 may be covered partially, and is formed, the [covering 7 for exchange by the side of 1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0014] the 1st engagement object 15a concerned, and is formed. [0015] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0016] the 1st engagement object 15a concerned, and is formed. [0017] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0018] the 1st engagement object 15a concerned, and is formed. [0019] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0020] the 1st engagement object 15a concerned, and is formed. [0021] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0022] the 1st engagement object 15a concerned, and is formed. [0023] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0024] the 1st engagement object 15a concerned, and is formed. [0025] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0026] the 1st engagement object 15a concerned, and is formed. [0027] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0028] the 1st engagement object 15a concerned, and is formed. [0029] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0030] the 1st engagement object 15a concerned, and is formed. [0031] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0032] the 1st engagement object 15a concerned, and is formed. [0033] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

[0034] the 1st engagement object 15a concerned, and is formed. [0035] Between these 1st engagement object 15a and [engaged [1] body 15b piles up the covering 7 for exchange from a lid 6 — the — when engaged [1] body 15b overcomes 1st engagement object 15a and end enters in the cradle 17 under it, it is engaged free [engaging and releasing] mutually, the process overcomes especially, the — the [1st engagement object 15a which made the whole 1 side edge of the lid 6, and the covering 7 for exchange] — it consists of engagement [1] body 15b makes the part corresponding to 1st engagement object 13a project toward the cradle 17 under

covering 7 for exchange from a lid 6 — the — engaged [2] body 16b overcomes 2nd engagement object 16a, and is engaged free [engaging and releasing] mutually, the process overcomes it. It is in this 2nd engagement section 16 — the [2nd engagement object 16a and] — the field where engaged [2] body 16b faces mutually in the [2nd engagement object 16a which faces mutually in the state of engagement, while being formed in respect of / 26 and 21 / a taper, in order to make the lifting *** smooth, and] — an angle is given and the corner 28 of engaged [2] body 16b are formed so that it may be hard to separate from mutual engagement.

[0018] If an operation of the cosmetics container 1 concerning this operation gesture is explained, as shown in drawing 4 and drawing 4 in case the purchaser who purchased the cosmetics container 1 exchanges for the new covering 7 for exchange of other designs the covering 7 for exchange with which the lid 6 is equipped. A lid 6 is rotated in the vertical direction, the body 3 of a container is opened, and press actuation of the piece 25 of actuation exposed to the hollow section 22 of the hinge block 13 which appeared in the rear face of a lid 6 is carried out toward the back of the hollow section 22.

[0019] If press actuation of the piece 25 of actuation is carried out — flexible deformation of the piece 25 of actuation concerned — following — the — since engaged [2] body 16b secures 2nd engagement object 16a, it is made to pull apart the covering 7 for exchange to a lid 6 after that. Thus — if the 2nd engagement section 16 is made to break away and the covering 7 for exchange is made to separate from a lid 6 — the [1st engagement object 15a of the 1st engagement section 15, and] — engagement to engaged [1] body 15b can be made to be able to break away, and the covering 7 for exchange can be removed from a lid 6.

[0020] Subsequently, in case a lid 6 is equipped with the new covering 7 for exchange. If the covering 7 for exchange is pushed against the 2nd engagement section 16 side toward a lid 6 in the condition of having made the 1st engagement section 15 engaged, while the piece 25 of actuation will enter in a through tube 21, the flexible deformation — the — it engages with 2nd engagement object 16a, and thereby, engaged [2] body 16b can lay the new covering 7 for exchange on top of a lid 6 and can attach it.

[0021] If it is in the cosmetics container 1 concerning this operation gesture as explained above. The covering 7 for exchange which covers this to a lid 6 and is prepared in it detachable, and the through tube 21 formed in the lid 6 and the hollow section 22 of the hinge block 13, and the through tube 21 formed in the lid 6 and the piece 25 of actuation which is engaged in the object 16a, formed in the through tube 21 and the piece 25 of actuation from a lid 6, [which is engaged in the piece 25 of actuation and engages with 2nd engagement object 16a free / engaging and releasing] since it had engaged [2] body 16b, the assurance of the cosmetics container 1 is limited to the design which the producer selected — there is nothing — as the cosmetics container 1 — a purchaser — liking — responding — an appearance — a degree of freedom — it shall choose highly and, thereby, attractiveness to consumers shall be raised.

[0022] Moreover, as covering 7 for exchange, like the conventional lid etc., that it is also partial separates, and a decoration part does not fall out from the covering 7 for exchange, and the cosmetics container 1 as a product can be offered in the high quality which is full of a high-class feeling without the former and inferiority that what is necessary is just to form the decoration part of each other in separation impossibility in one really indivisible therefore. Moreover, the 1st engagement section 15 and the 2nd engagement section 16 which are engaged free [engaging and releasing] in these are prepared between the covering 7 for exchange, and a lid 6, and covering 7 for exchange can be easily exchanged by engaging-and-releasing actuation of these engagement sections 15 and 16.

[0023] If it is in this operation gesture, the covering 7 for exchange covers the surface 6a to a lid 6, and is prepared in it. Furthermore, to a lid 6 in order to open and close the body 3 of a container,

while the hinge block 13 connected with the body 3 of a container concerned free [rotation] is formed and a through tube 21 is formed in a hinge block 13. Since the piece 25 of actuation is exposed from rear-face 6b of the opposite side with surface 6a of a lid 6. The tooth space for having the through tube 21 for attaching the covering 7 for exchange in a lid 6 and 2nd engagement object 16a using a hinge block 13 is secured. While being able to have the 2nd engagement, section 16 rationally, without enlarging the dimension of the cosmetics container 1. Since the piece 25 of actuation is exposed to rear-face 6b of a lid 6 in a hinge block 13, when having closed the lid 6, of course, the appearance of the cosmetics container 1 can be maintained good also in the condition of having opened.

[0024]

Moreover, by having spring nature, since flexible deformation is free for the piece 25 of actuation when 2nd engaged portion 16b is made to engage and release, it can raise the operability of engaging and-releasing actuation of the 2nd engagement section 16.

[0025]

Although the cosmetics container 1 equipped with the hinge 4 or the hook 5 was illustrated and explained if it was in this operation gestalt, of course, you may apply to the various containers of the type which detaches and attaches a lid 6 according to screw structure or path fitting. They are not only to this but to the body 3 of a container.

[0026]

[Effect of the Invention]

Above in short, if it is in the cosmetics container concerning this invention, the degree of freedom in which it can respond to the request that that it is also full separates and a decoration part falls out neither from the body of a container nor a lid, and a purchaser can choose an appearance again according to liking can be raised.

[Brief Description of the Drawings]

[Drawing 1] It is the sectional side elevation showing 1 suitable operation gestalt of the cosmetics container concerning this invention.

[Drawing 2] It is the important section expansion perspective view showing the condition of having opened the lid of the cosmetics container of drawing 1.

[Drawing 3] It is the important section expanded sectional view showing the condition of having opened the lid of the cosmetics container of drawing 1.

[Drawing 4] It is the important section expanded sectional view showing removal of covering for exchange or the installation process in the condition of having opened the lid of the cosmetics container of drawing 1.

[Description of Notations]

1 Cosmetics Container 3 Body of Container

6 Lid 6a Front Face of Lid

6b Rear Face of a Lid 7 Covering for exchange

13 Hinge Block 16a 2nd Engagement Object

16b the — the body engaged [2] 21 Through tube

25 Piece of Actuation

[Translation done.]

* NOTICES *

JPO and INPI are not responsible for any damages caused by the use of this translation.

1 This document has been translated by computer. So the translation may not reflect the original precisely.

2*** shows the word which can not be translated.

3In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] It is the sectional side elevation showing 1 suitable operation gestalt of the cosmetics container concerning this invention.

[Drawing 2] It is the important section expansion perspective view showing the condition of having opened the lid of the cosmetics container of drawing 1.

[Drawing 3] It is the important section expanded sectional view showing the condition of having opened the lid of the cosmetics container of drawing 1.

[Drawing 4] It is the important section expanded sectional view showing removal of covering for exchange or the installation process in the condition of having opened the lid of the cosmetics container of drawing 1.

[Description of Notations]

1 Cosmetics Container 3 Body of Container

6 Lid 6a Front Face of Lid

6b Rear face of a lid 7 Covering for exchange

13 Hinge Block 16a 2nd Engagement Object

16b the — the body engaged [2] 21 Through tube

25 Piece of Actuation

[Translation done.]

ことができる。交換用カパー7を箱体6から取り出すことができる。

【0020】
 次いで新たな交換用カパー7を箱体6に装着する際には、図1係合部15を係合させた状態で、第2係合部16側において交換用カパー7を箱体6に向かって押し付けられ、操作片25が係合部21に入り込むことも可能で、その状態で操作片によって第2係合部16が第2係合部16aと係合し、これにより新しい交換用カパー7を箱体6に通わせることができる。

【0021】
 以上説明したように本装置において、化粧装飾部1にあつては、箱体6にこれを用いて交換可能に設けられる交換用カパー7と、箱体6に交換用カパー7に向かつて形成された係合部21と、係合部21内に形成された第2係合部16aと、交換用カパー7に形成された、係合部21を貫通して箱体6から露出される操作片25と、操作片25に形成された係合部16aとを係合して箱体6に固定される第2係合部16bとを備えたので、化粧装飾部1の外觀的正確性の確保したまま、交換可能にすることができ、化粧装飾部1として、箱体6が組み立てられて外観を向上させることができる、これにより高品質な製品を得るものとすることができる。

【0022】
 また交換用カパー7としては、従来の箱体などと同様に、断面部分を、体不可分に互いに分離不能に一体化して形成すればよく、従つて断面形状が交換用カパー7から部分にでも分かれたり、歪みが生じたりすることがなく、正確としての化粧装飾部1を、従来と遜色のない正確な状態を高い品質で提供することができる。また、交換用カパー7と箱体6との間にこれら係合部21に係合する図1係合部15および第2係合部16を設けていて、これらの係合部15、16の断面形状によつて、断面上で交換用カパー7の交換をすることができ。

【0023】
 さらに、本装置において、交換用カパー7は、箱体6にその表面6aを覆つて取り付けられ、箱体6には、図1係合部15を固定するために前記箱体65に前記面6aに形成される操作片25がフック11が設けられ、前記図21がヒンジフック13に形成されることも、操作片25が箱体6の表面6aに突け刺さる断面形状から露出されるので、ヒンジフック13を利用して、交換用カパー7を箱体6に固定するための低コストで、第2係合部16aを備えるためのスベーク機構とすることができる。化粧装飾部1の外形を歪ませなくとも、合理的に第2係合部16を備えることができること、操作片25がヒンジフック13において第2係合部16aに露出されることから、箱体6を閉じるとともに、ヒンジフック13において、開いた状態でも化粧装飾部1の外観を良好に維持することができる。

【0024】
 また、第2係合部16の断面形状を、操作片25と、バネ部をもつて可撓変形自在である、第2係合部16bの断面形状の操作性を向上させることができる。

【0025】
 本装置において、ヒンジ4フック5を備えた化粧装飾部1を覆うように図1に示すように、これに照らす、図1係合部15に対して、その断面形状によって箱体6を固定するカパー7の断面形状に適用してもよいことはもちろんである。

【0026】

【図1の図説】
 以上要するに、本装置における化粧装飾部にあつては、加飾部分の断面形状と箱体6から部分にでも分けられ、また断面形状とすることがいふという要するに要することができる。【図1の断面形状】

【図1】本装置における化粧装飾部の断面形状を示す断面図である。
 【図2】図1の化粧装飾部の断面形状を、本装置の断面形状と対照する。
 【図3】図1の化粧装飾部の断面形状を、本装置の断面形状と対照する。



【図1】図1の化粧装飾部の断面形状を、本装置の断面形状と対照する。交換用カパー7の取り外しもしくは取り付けの過程を示す断面図である。


【図2】図2の化粧装飾部の断面形状を示す断面図である。

- | | | | |
|-----|--------|-----|--------|
| 1 | 化粧装飾部 | 3 | 箱体6 |
| 6 | 箱体6 | 6a | 箱体6の表面 |
| 13 | ヒンジフック | 16a | 第2係合部 |
| 16b | 第2係合部 | 21 | 係合部 |
| 25 | 操作片 | | |


【図1】

【図2】





【図 1】



【発明の要旨】

【発明の要旨】平成14年10月21日(2002.10.21)

【発明の要旨】

【発明の要旨】明細書

【発明の要旨】0002

【発明の要旨】図1

【発明の要旨】0002

【発明の要旨】

【発明の要旨】

一般に化粧紙を製造する装置本体と、この装置本体を囲んだり閉じたりする箱体とを備えて構成されている。そして化粧紙製造の外観をなすこれらの装置本体や箱体に於いては、そのデザイン性を高めるために、従来からさまざまな方法によって加飾が施されている。例えば、スパンタリツラなどによって表面加飾を行ったり、転写シートを用いて文字や模様などを転写したり、あるいは模様などを付した上記加飾・転写用の紙を覆ったりするなどして、装置本体や箱体に加飾を施すようにしていた。また、本願出願人は、関連する先行出願として、特開(2001)249100号を出願している。